[Total No. of Printed Pages—4

Seat	
No.	

[4857]-1078

S.E. (Comp. Engg.) (Second Sem.) EXAMINATION, 2015 MICROPROCESSOR AND INTERFACING TECHNIQUES (2012 PATTERN)

Time: Two Hours

Maximum Marks: 50

- N.B. := (i) Answer total four questions:
 - Q. No. 1 or Q. No. 2, Q. No. 3 or Q. No. 4, Q. No. 5 or Q. No. 6 and Q. No. 7 or Q. No. 8.
 - (ii) Neat diagrams must be drawn wherever necessary.
 - (iii) Figures to the right indicate full marks.
- 1. (a) Draw and explain architecture of i7 processor with neat sketch. [6]
 - (b) List the difference between .com and .exe. [3]
 - (c) Explain the following 80386 addressing modes with appropriate examples: [3]
 - (i) Based scaled index addressing mode with displacement.
 - (ii) Direct addressing mode.
 - (iii) Register indirect addressing mode.

2.	(a)	Write initialization instruction for 8259 to meet the following
		specifications: [4]
		(i) Interrupt type 64
		(ii) Level triggered, single, ICW4 needed
		(iii) Mask interrupts IR5 and IR5.
	(<i>b</i>)	Write a short note on TSR. [4]
	(c)	List the differences between Near and Far procedure. [4]
3.	(a)	Draw and explain the block diagram of 8255 (PPI). [4]
	(<i>b</i>)	List the difference between synchronous and asynchronous communication with respect to 8257. [2]
	(c)	Draw the control word format of 8279 for the following commands : [6]
		(i) Display Inhibit/Blanking
		(ii) Keyboard/Display mode set
		(iii) Write display RAM.
		Or
4.	(a)	Explain interfacing of DMA with 8086 with a neat diagram. [4]
	(<i>b</i>)	Write a pgm to generate a square wave of IMS with i/p frequency of 750 kHz using 8253.
F 40 5 7		Design appropriate control word for counter I. [4]

(c)	Define the following terms:	[4]
	(i) Accuracy	
	(ii) Conversion time	
	(iii) Monotonicity	
	(iv) Offset error.	
5. (a)	Draw and explain status and control word format	of
	8087.	[6]
<i>(b)</i>	Explain with proper block diagram, operating of 8086 in maxim	um
	mode.	[7]
	Or	
6. (a)	Explain the following instructions of 8087 with example:	[3]
	(i) FSQRT	
	(ii) FPTAN	
	(iii) FLDPI.	
(<i>b</i>)	Explain any four data types of 8087 with pro-	per
	format.	[4]
(c)	Draw 8086 based minimum mode system showing 4×4 mar	trix
	keyboard using 8255.	[6]
[4857]-10	978 3 P.T	Г.О.

7 .	(<i>a</i>)	Write the features of i5 processor.	[4]		
	(<i>b</i>)	Write short note on Serial ATA controller and QPI.	[4]		
	(c)	Draw and explain block diagram of ICNIO configuration.	[5]		
Or					
8.	(a)	Draw and explain block diagram of i5 motherboard.	[7]		
	(<i>b</i>)	Explain the features of 82807 JIIR I/O controller hub.	[4]		

[2]

Draw basic blocks of intel X58 chipset.

(c)