

Total No. of Questions—8]

[Total No. of Printed Pages—5

Seat No.	
-------------	--

[5252]-509

S.E. (Civil) (Second Semester) EXAMINATION, 2017

STRUCTURAL ANALYSIS-I

(2015 Pattern)

Time : Two Hours

Maximum Marks : 50

N.B. :— (i) Answer Q. 1 or Q. 2, Q. 3 or Q. 4, Q. 5, or Q. 6,
Q. 7 or Q. 8.

(ii) Neat diagrams must be drawn wherever necessary.


(iii) Figures to the right indicate full marks.

(iv) Assume suitable data, if necessary.

(v) Use of electronic pocket calculator is allowed.

1. (a) Write note on Degree of freedom, Determinacy and Indeterminacy. [6]

(b) Find slope and deflection at points 'B' and 'C' for cantilever beam by moment area method. [6]




P.T.O.


2. (a) Determine static and kinematic indeterminacy of the following beams. : [6]




- (b) Determine deflection at 'C' by Castigliano's first theorem. [6]




3. (a) A cantilever truss shown below is loaded by a vertical force of 10 kN at free end. Find the total deflection at the free end in terms of AE which is constant. [6]




- (b) A uniformly distributed load of 10 kN/m intensity, 4 m in length crosses a girder of span 30 m from right to left. With the help of influence lines, determine the values of shear force and bending moment at a point of 10m from left end when the head of the load is 12 m from the left support. [6]



4. (a) Determine total deflection of joint 'C'. $A = 100 \text{ mm}^2$, $E = 200 \text{ GPa}$. [6]




- (b) For the cantilever beam shown below, calculate reactions at fixed end by influence line diagram method. Also draw influence line diagrams. [6]




5. A three hinged parabolic arch is loaded and supported as shown in figure below. Determine : [13]

- (a) Support reactions
(b) Maximum positive and negative bending moment.




6. Determine horizontal thrust for a two hinged parabolic arch of span 'L' and central rise 'H' carries a point load 'W' at a distance 'a' from left hand support. Assume $I = I_0 \sec \theta$. [13]

7. (a) Explain : [6]
(i) Plastic Moment
(ii) Plastic Collapse
(iii) Elastic-Plastic behavior of beam
(b) For the cross-section of the beam shown below find the shape factor. [7]



8. (a) For the cross-section shown below, find the shape factor.

[7]



- (b) Write note on Shape factor and Plastic section modulus.

[6]